JOSH GREEN, M.D. GOVERNOR OF HAWAI'I KE KIA'ĀINA O KA MOKU'ĀINA 'O HAWAI'I

CERTIFIED MAIL
RETURN RECEIPT REQUESTED
(7022 3330 0002 1014 2354)



STATE OF HAWAII DEPARTMENT OF HEALTH KA 'OIHANA OLAKINO

P.O. Box 3378 HONOLULU, HAWAII 96801-3378 January 9, 2024 KENNETH S. FINK, MD, MGA, MPH
DIRECTOR OF HEALTH

In reply, please refer to:

24-007E CAB File No. 0008-19

Mr. Jordan Hara Plant Manager Puna Geothermal Venture 14-3860 Kapoho-Pahoa Road Pahoa, Hawaii 96778-0030

Dear Mr. Hara:

SUBJECT: Amendment of Noncovered Source Permit (NSP) No. 0008-02-N

Application for Modification No. 0008-19

Puna Geothermal Venture (PGV)

41 MW (Nominal) Geothermal Power Plant, Wellfield, and

Geothermal Exploratory/Developmental Wells

Located At: 14-3860 Kapoho-Pahoa Road, Pahoa, Island of Hawaii

Date of Expiration: October 18, 2027

In accordance with Hawaii Administrative Rules, Chapter 11-60.1 and pursuant to your modification application dated June 1, 2023, the Department of Health, Clean Air Branch, hereby amends NSP No. 0008-02-N issued to PGV. The amendment revises the equipment description for the geothermal exploratory/developmental wells.

The following amended permit conditions supersedes the corresponding permit conditions of NSP No. 0008-02-N issued on January 23, 2023:

- Attachment IIB, Special Condition No. A.1.a
 - Geothermal Exploratory/Developmental Wells consisting of various production and injection wells that have been approved by the appropriate regulatory agency or agencies.
- 2. Attachment IIB, Special Condition No. B.2
 - 2. The construction of the geothermal exploratory/developmental wells are to be drilled in TMK: 1-4-01:2, 1-4-01:3, 1-4-01:58, and 1-4-0119, Kilauea Lower East Rift Zone, Puna, Hawaii.

All other permit conditions of NSP No. 0008-02-N issued on January 23, 2023, shall not be affected and shall remain valid. A receipt for the application filing fee of \$100.00 is enclosed.

Mr. Jordan Hara January 9, 2024 Page 2

If there are any questions regarding these matters, please contact Mr. Darin Lum of the Clean Air Branch at (808) 586-4200.

Sincerely,

OANNA L. SETO, P.E., CHIEF Environmental Management Division

Grand X Seto

DL:tkg

Enclosure

JOSH GREEN, M.D. GOVERNOR OF HAWAI'I KE KIA'ĀINA O KA MOKU'ĀINA 'O HAWAI'I

CERTIFIED MAIL
RETURN RECEIPT REQUESTED
(7022 3330 0002 1014 2354)





File No. 0008-19

Mr. Jordan Hara Plant Manager Puna Geothermal Venture 14-3860 Kapoho-Pahoa Road Pahoa, Hawaii 96778-0030

Dear Mr. Hara:

SUBJECT: Amendment of Noncovered Source Permit (NSP) No. 0008-02-N

Application for Modification No. 0008-19

Puna Geothermal Venture (PGV)

41 MW (Nominal) Geothermal Power Plant, Wellfield, and

Geothermal Exploratory/Developmental Wells

Located At: 14-3860 Kapoho-Pahoa Road, Pahoa, Island of Hawaii

Date of Expiration: October 18, 2027

In accordance with Hawaii Administrative Rules, Chapter 11-60.1 and pursuant to your modification application dated June 1, 2023, the Department of Health, Clean Air Branch, hereby amends NSP No. 0008-02-N issued to PGV. The amendment revises the equipment description for the geothermal exploratory/developmental wells.

The following amended permit conditions supersedes the corresponding permit conditions of NSP No. 0008-02-N issued on January 23, 2023:

- 1. Attachment IIB, Special Condition No. A.1.a
 - Geothermal Exploratory/Developmental Wells consisting of various production and injection wells that have been approved by the appropriate regulatory agency or agencies.
- 2. Attachment IIB, Special Condition No. B.2
 - 2. The construction of the geothermal exploratory/developmental wells are to be drilled in TMK: 1-4-01:2, 1-4-01:3, 1-4-01:58, and 1-4-0119, Kilauea Lower East Rift Zone, Puna, Hawaii.

All other permit conditions of NSP No. 0008-02-N issued on January 23, 2023, shall not be affected and shall remain valid. A receipt for the application filing fee of \$100.00 is enclosed.

Mr. Jordan Hara January 9, 2024 Page 2

If there are any questions regarding these matters, please contact Mr. Darin Lum of the Clean Air Branch at (808) 586-4200.

Sincerely,

JOANNA L. SETO, P.E., CHIEF Environmental Management Division

Grand X geto

DL:tkg

Enclosure

24-007E.permit.dl

Final Audit Report 2024-01-08

Created: 2024-01-05 (Hawaii-Aleutian Standard Time)

By: Trina Gonsalves (trina.gonsalves@doh.hawaii.gov)

Status: Signed

Transaction ID: CBJCHBCAABAApHQnJtovbKyhlndZ4iBofRgOWbqJtGsn

Number of Documents: 3

Document page count: 12

Number of supporting files: 0

Supporting files page count: 0

"24-007E.permit.dl" History

- Document created by Trina Gonsalves (trina.gonsalves@doh.hawaii.gov) 2024-01-05 10:21:00 AM HST
- Document emailed to Rana Balanay (rana.balanay@doh.hawaii.gov) for approval 2024-01-05 10:21:51 AM HST
- Email viewed by Rana Balanay (rana.balanay@doh.hawaii.gov)
- Agreement viewed by Rana Balanay (rana.balanay@doh.hawaii.gov) 2024-01-05 11:08:54 AM HST
- Document approved by Rana Balanay (rana.balanay@doh.hawaii.gov)

 Approval Date: 2024-01-05 11:11:18 AM HST Time Source: server
- Document emailed to Darin Lum (darin.lum@doh.hawaii.gov) for approval 2024-01-05 11:11:20 AM HST
- Email viewed by Darin Lum (darin.lum@doh.hawaii.gov) 2024-01-05 11:28:44 AM HST
- Agreement viewed by Darin Lum (darin.lum@doh.hawaii.gov) 2024-01-05 11:29:04 AM HST
- Document approved by Darin Lum (darin.lum@doh.hawaii.gov)

 Approval Date: 2024-01-05 11:31:17 AM HST Time Source: server



- Document emailed to Catherine Lopez (catherine.lopez@doh.hawaii.gov) for approval 2024-01-05 11:31:18 AM HST
- Email viewed by Catherine Lopez (catherine.lopez@doh.hawaii.gov) 2024-01-05 11:33:15 AM HST
- Agreement viewed by Catherine Lopez (catherine.lopez@doh.hawaii.gov) 2024-01-05 11:33:44 AM HST
- Document approved by Catherine Lopez (catherine.lopez@doh.hawaii.gov)

 Approval Date: 2024-01-05 11:34:40 AM HST Time Source: server
- Document emailed to Marianne Rossio (marianne.rossio@doh.hawaii.gov) for approval 2024-01-05 11:34:41 AM HST
- Agreement viewed by Marianne Rossio (marianne.rossio@doh.hawaii.gov) 2024-01-05 5:03:35 PM HST
- Document approved by Marianne Rossio (marianne.rossio@doh.hawaii.gov)

 Approval Date: 2024-01-05 5:15:55 PM HST Time Source: server
- Document emailed to Robin Racoma (robin.mulleitner@doh.hawaii.gov) for approval 2024-01-05 5:15:56 PM HST
- Agreement viewed by Robin Racoma (robin.mulleitner@doh.hawaii.gov) 2024-01-08 9:25:55 AM HST
- Document approved by Robin Racoma (robin.mulleitner@doh.hawaii.gov)

 Approval Date: 2024-01-08 10:00:22 AM HST Time Source: server
- Document emailed to Joanna Seto (joanna.seto@doh.hawaii.gov) for signature 2024-01-08 10:00:23 AM HST
- Agreement viewed by Joanna Seto (joanna.seto@doh.hawaii.gov) 2024-01-08 1:01:50 PM HST
- Document e-signed by Joanna Seto (joanna.seto@doh.hawaii.gov)
 Signature Date: 2024-01-08 1:02:58 PM HST Time Source: server
- Agreement completed.
 2024-01-08 1:02:58 PM HST



STATE OF HAWAII No 67131 OFFICIAL RECEIPT **Environmental Management Division** Clean Air Branch Department or Agency August 23 DATE: 20 23 RECEIVED from Puna Geothermal Venture - one hundred and oo1100 -**DOLLARS** <1120> App. for Modification No. 0008-19 (Amendment of NSP No. 0008-02-N) 41 MM Geothermal Power Plant Wellfield, and Geothermal Exploratory Developmental Wells Located At: 14-3860 Kapoho-Pahoa Road, Pahoa Island of Hawaii \$ 1000 BOH #5120 Authorized Signature

STATE ACCOUNTING FORM B-24 July 1, 1999 (Revised)

STATE OF HAWAII OFFICIAL RECEIPT Nº 6713	1			
Department or Agency DATE: August 23 20_23				
RECEIVED from Puna Geothermal Venture				
One hundred and 00/100 DOLLA (1120) App. for Modification No. 0008-19 (Amendment of NSP No. 0008-02-N)	RS			
41 MM Geothermal Power Plant, Wellfield, and Geothermal Exploratory Developmental Wells				
\$10000 Both hi1/23				
Authorized Signature				

STATE ACCOUNTING FORM B-24 July 1, 1999 (Revised)

POSTMARK
JUN - 5 2023

JUN 5 2023

SCANNED

CC: 4900141910 NSP #0009-02	-2N Modification PUNA)	CHECK NO.	VENDOR KEY
	GEOTHERMAL VENTURE			POSTMARK
		JUN	5 2023	JUN - 5 2023
		\		
		, (
	HAWAII			
TOTALS >				

PUNA GEOTHERMAL VENTURE PETTY CASH ACCOUNT

MD 18466