



February 27, 2026

Chairperson Dawn N.S. Chang  
Department of Land and Natural Resources  
Kalanimoku Building  
1151 Punchbowl St.  
Honolulu, HI 96813  
[Dawn.chang@hawaii.gov](mailto:Dawn.chang@hawaii.gov)

**SUBJECT: PRODUCTION AND INJECTION REPORTS – JANUARY 2026**

Dear Chairperson Chang:

Pursuant to DLNR Regulation 18-183-86, Puna Geothermal Venture hereby submits the required production and injection reports for January 2026.

Should you have any questions or need any additional information, please contact me at (808) 965-2847 or [spakele@ormat.com](mailto:spakele@ormat.com).

Sincerely,

*Summer Pakele*

Summer Pakele  
Environmental Compliance Coordinator

Encl.: 2026 January Production and Injection Reports

cc: Philip M. Nigro, DLNR Geologist II, Engineering Division  
Gayson Ching, DLNR Project Management and Mineral Resources Branch Chief  
Megan Hubbard, DLNR Mineral Resources Specialist  
PGV File

**PUNA GEOTHERMAL VENTURE**

14-3860 Kapoho Paho Road, Paho, HI 96778-0030, USA • +1-808-965-6233 • [ormat@ormat.com](mailto:ormat@ormat.com)

**PUNA GEOTHERMAL VENTURE  
COMBINED PRODUCTION DATA**

DATE	STEAM FLOW (K LB)	BRINE FLOW (K LB)	TOTAL MASS (K LB)	% BRINE	% STEAM	AVG STEAM FLOW	AVG BRINE FLOW (K LB/HR)	AVG TOTAL MASS FLOW (K LB/HR)	AVG. NETPOWER (MW)			AVG WELLHEAD TEMP (F)	HRS ON PROD
									MAIN PLANT	BTM UNIT	TOTAL		
1/1/2026	10,149	23,450	33,599	69.8	30.2	423	977	1400	22.2	5.6	27.8	473	24
1/2/2026	10,214	23,282	33,495	69.5	30.5	426	970	1396	22.4	5.6	28.0	467	24
1/3/2026	10,195	23,330	33,525	69.6	30.4	425	972	1397	22.3	5.6	28.0	470	24
1/4/2026	10,134	22,893	33,027	69.3	30.7	422	954	1376	22.2	5.7	27.9	479	24
1/5/2026	10,099	22,011	32,109	68.5	31.5	421	917	1338	22.1	5.6	27.6	468	24
1/6/2026	10,097	22,717	32,814	69.2	30.8	421	947	1367	22.1	5.5	27.5	467	24
1/7/2026	10,195	22,565	32,760	68.9	31.1	425	940	1365	22.3	5.6	27.9	467	24
1/8/2026	10,190	22,925	33,115	69.2	30.8	425	955	1380	22.3	5.6	27.9	468	24
1/9/2026	10,124	23,042	33,166	69.5	30.5	422	960	1382	22.1	5.5	27.7	468	24
1/10/2026	10,175	23,256	33,430	69.6	30.4	424	969	1393	22.3	5.6	27.8	468	24
1/11/2026	10,143	23,466	33,609	69.8	30.2	423	978	1400	22.2	5.7	27.9	474	24
1/12/2026	10,025	23,454	33,479	70.1	29.9	418	977	1395	21.9	5.5	27.4	467	24
1/13/2026	10,065	23,537	33,602	70.0	30.0	419	981	1400	22.0	5.6	27.6	468	24
1/14/2026	9,854	23,651	33,505	70.6	29.4	411	985	1396	21.5	5.3	26.7	467	24
1/15/2026	9,908	23,108	33,016	70.0	30.0	413	963	1376	21.6	5.5	27.1	479	24
1/16/2026	10,148	23,484	33,631	69.8	30.2	423	978	1401	22.2	5.4	27.6	468	24
1/17/2026	10,229	23,604	33,832	69.8	30.2	426	983	1410	22.4	5.4	27.8	467	24
1/18/2026	10,268	23,399	33,666	69.5	30.5	428	975	1403	22.5	5.3	27.8	471	24
1/19/2026	10,266	22,773	33,039	68.9	31.1	428	949	1377	22.5	5.3	27.8	475	24
1/20/2026	10,161	22,878	33,039	69.2	30.8	423	953	1377	22.2	5.5	27.7	467	24
1/21/2026	10,246	22,645	32,890	68.8	31.2	427	944	1370	22.4	5.4	27.9	465	24
1/22/2026	10,195	22,436	32,631	68.8	31.2	425	935	1360	22.3	5.3	27.6	465	24
1/23/2026	10,170	22,787	32,957	69.1	30.9	424	949	1373	22.3	5.3	27.6	473	24
1/24/2026	10,170	23,037	33,206	69.4	30.6	424	960	1384	22.3	5.3	27.5	466	24
1/25/2026	10,173	22,967	33,140	69.3	30.7	424	957	1381	22.3	5.2	27.5	472	24
1/26/2026	10,173	22,571	32,744	68.9	31.1	424	940	1364	21.9	5.1	27.0	472	24
1/27/2026	10,018	23,220	33,238	69.9	30.1	417	968	1385	22.0	5.1	27.2	466	24
1/28/2026	10,080	22,413	32,493	69.0	31.0	420	934	1354	21.7	5.1	26.8	473	24
1/29/2026	9,962	22,577	32,539	69.4	30.6	415	941	1356	21.8	5.1	26.9	470	24
1/30/2026	9,969	22,684	32,653	69.5	30.5	415	945	1361	22.0	5.0	27.0	474	24
1/31/2026	10,055	22,591	32,646	69.2	30.8	419	941	1360	21.8	5.0	26.8	463	24
Mo. Totals/Avg	313,846	712,750	1,026,596	69.4	30.6	422	958	1380	22.1	5.4	27.5	470	24

**PUNA GEOTHERMAL VENTURE**  
**PRODUCTION WELL DATA**

DATE	KS-10		KS-14		KS-17		KS-18		KS-19		KS-22	
	AVG WHP (PSIG)	AVG WHT (F)										
1/1/2026			0	77	645	490	478	458	458	462	553	483
1/2/2026			0	73	650	475	480	459	458	457	552	477
1/3/2026			0	73	638	479	480	457	460	467	554	479
1/4/2026			0	73	640	479	480	455	460	459	554	523
1/5/2026			0	75	655	479	480	457	471	458	553	479
1/6/2026			0	74	658	480	480	455	459	455	553	479
1/7/2026			0	71	663	480	480	458	464	455	553	477
1/8/2026			0	74	663	482	470	455	462	460	553	474
1/9/2026			0	73	650	480	480	457	463	458	553	479
1/10/2026			0	75	640	480	480	459	462	456	555	479
1/11/2026			0	76	660	491	460	460	463	463	553	484
1/12/2026			0	73	643	479	480	457	466	457	553	478
1/13/2026			0	73	633	478	480	460	466	457	553	477
1/14/2026			0	82	633	478	480	457	459	457	553	478
1/15/2026			0	78	640	489	485	458	474	487	553	483
1/16/2026			0	77	618	477	480	458	479	460	553	479
1/17/2026			0	82	610	476	480	457	466	456	557	480
1/18/2026			0	70	600	483	473	457	460	459	558	484
1/19/2026			0	76	638	466	480	458	457	453	554	525
1/20/2026			0	75	645	479	480	454	455	459	552	478
1/21/2026			0	75	615	474	468	453	448	457	556	478
1/22/2026			0	70	615	474	468	453	448	457	556	478
1/23/2026			0	75	630	490	485	458	462	463	553	483
1/24/2026			0	75	613	476	467	457	464	455	554	477
1/25/2026			0	70	613	486	465	458	453	462	557	483
1/26/2026			0	70	633	489	473	458	461	460	553	483
1/27/2026			0	78	640	470	460	458	458	463	552	474
1/28/2026			0	70	645	493	473	457	461	459	551	483
1/29/2026			0	35	590	480	456	457	456	462	551	483
1/30/2026			0	69	655	490	465	456	457	465	551	483
1/30/2026			0	68	630	478	480	454	461	455	552	467
Monthly Average			0	73	635	480	475	457	461	460	553	482

# PUNA GEOTHERMAL VENTURE

## COMBINED INJECTION WELL DATA QUANTITIES OF FLUID INJECTED

DATE	GEOFLUID KLB	WELL WATER KLB	RAW WATER KLB	TOTAL INJECTION		INJECTION		(R)22 GAL	R322 GAL	203 GAL	WPA-GG GAL	G442 GAL	Bio- spense GAL	NaOH GAL	Royal Purple GAL	98% Acid GAL
				KLB	GAL	KPH	GPM									
1/1/2026	33,599	0	0	33,599	4,152,736	1400	2,884	0	0	0	15	15	1	0	0	10
1/2/2026	33,495	0	0	33,495	4,139,914	1396	2,875	0	0	0	35	15	1	0	0	9
1/3/2026	33,525	0	0	33,525	4,143,621	1397	2,878	0	0	0	25	10	1	0	0	8
1/4/2026	33,027	0	0	33,027	4,082,032	1376	2,835	0	0	0	25	20	0	0	0	9
1/5/2026	32,109	0	0	32,109	3,968,621	1338	2,756	0	0	0	30	10	1	0	0	8
1/6/2026	32,814	0	0	32,814	4,055,665	1367	2,816	0	0	0	30	15	1	0	0	8
1/7/2026	32,760	0	0	32,760	4,049,071	1365	2,812	0	0	0	30	15	1	0	0	8
1/8/2026	33,115	0	0	33,115	4,092,909	1380	2,842	0	0	0	30	15	1	0	0	8
1/9/2026	33,166	0	0	33,166	4,099,193	1382	2,847	0	0	0	45	15	1	0	0	8
1/10/2026	33,430	0	0	33,430	4,131,877	1393	2,869	0	0	0	30	18	1	0	0	8
1/11/2026	33,609	0	0	33,609	4,153,924	1400	2,885	0	0	0	30	12	1	0	0	9
1/12/2026	33,479	0	0	33,479	4,137,857	1395	2,874	0	0	0	25	15	1	0	0	8
1/13/2026	33,602	0	0	33,602	4,153,128	1400	2,884	0	0	0	15	15	1	0	0	9
1/14/2026	33,505	0	0	33,505	4,141,127	1396	2,876	0	0	0	20	20	1	0	0	8
1/15/2026	33,016	0	0	33,016	4,080,619	1376	2,834	0	0	0	20	20	2	0	0	8
1/16/2026	33,631	0	0	33,631	4,156,712	1401	2,887	0	0	0	35	15	1	0	0	8
1/17/2026	33,832	0	0	33,832	4,181,565	1410	2,904	0	0	0	35	15	0	0	0	9
1/18/2026	33,666	0	0	33,666	4,161,057	1403	2,890	0	0	0	15	15	1	0	0	8
1/19/2026	33,039	0	0	33,039	4,083,480	1377	2,836	0	0	0	40	15	1	0	0	9
1/20/2026	33,039	0	0	33,039	4,083,480	1377	2,836	0	0	0	20	15	0	0	0	7
1/21/2026	32,890	0	0	32,890	4,065,153	1370	2,823	0	0	0	30	16	1	0	0	9
1/22/2026	32,631	0	0	32,631	4,033,096	1360	2,801	0	0	0	30	14	0	0	0	9
1/23/2026	32,957	0	0	32,957	4,073,323	1373	2,829	0	0	0	20	15	2	0	0	9
1/24/2026	33,206	0	0	33,206	4,104,177	1384	2,850	0	0	0	20	18	1	0	0	9
1/25/2026	33,140	0	0	33,140	4,095,951	1381	2,844	0	0	0	30	19	1	0	0	10
1/26/2026	32,744	0	0	32,744	4,047,028	1364	2,810	0	0	0	20	12	2	0	0	10
1/27/2026	33,238	0	0	33,238	4,108,127	1385	2,853	0	0	0	35	18	1	0	0	5
1/28/2026	32,493	0	0	32,493	4,016,079	1354	2,789	0	0	0	20	15	1	0	0	9
1/29/2026	32,539	0	0	32,539	4,021,669	1356	2,793	0	0	0	35	17	1	0	0	8
1/30/2026	32,653	0	0	32,653	4,035,769	1361	2,803	0	0	0	25	13	1	0	0	9
1/31/2026	32,646	0	0	32,646	4,034,957	1360	2,802	0	0	0	25	15	1	0	0	9
Total	1,026,596	0	0	1,026,596	126,883,917	42,775	88,114	0	0	0	840	477	30	0	0	263
Minimum	32,109	0	0	32,109	3,968,621	1,338	2,756	0	0	0	15	10	0	0	0	5
Average	33,116	0	0	33,116	4,093,030	1,380	2,842	0	0	0	27	15	1	0	0	8
Maximum	33,832	0	0	33,832	4,181,565	1,410	2,904	0	0	0	45	20	2	0	0	10





# PUNA GEOTHERMAL VENTURE

## KS-13 INJECTION WELL DATA QUANTITIES OF FLUID INJECTED

DATE	HRS ON INJ.	GEO-FLUID (KLB)	SUPPLY Water (KLB)	TOTAL		AVERAGE INJ. RATE		WELLHEAD PRESS. (PSIG)		AVERAGE ANNULUS N2 PRESS (PSIG)	AVERAGE INJ TEMP (DEG F)
				KBL	GAL	KPH	GPM	AVG	MAX		
1/1/2026	24	2023	0	2023	250053	80	174	443	445	1358	193
1/2/2026	24	2018	0	2018	249383	80	173	443	445	1328	193
1/3/2026	24	2017	0	2017	249286	80	173	428	430	1403	189
1/4/2026	24	853	0	853	105441	34	73	425	425	1080	183
1/5/2026	24	1629	0	1629	201374	65	140	410	410	1320	190
1/6/2026	24	1924	0	1924	237783	76	165	415	420	1313	190
1/7/2026	24	1967	0	1967	243135	78	169	415	425	1463	188
1/8/2026	24	1980	0	1980	244678	79	170	413	420	1418	186
1/9/2026	24	2001	0	2001	247284	80	172	420	430	1395	190
1/10/2026	24	1996	0	1996	246672	79	171	423	425	1358	190
1/11/2026	24	1982	0	1982	245022	79	170	415	420	1320	190
1/12/2026	24	1975	0	1975	244071	78	169	415	420	1395	190
1/13/2026	24	1950	0	1950	241010	77	167	417	422	1470	185
1/14/2026	24	1967	0	1967	243128	78	169	421	422	1440	193
1/15/2026	24	1968	0	1968	243293	78	169	390	410	1380	190
1/16/2026	24	2018	0	2018	249409	80	173	430	440	1380	190
1/17/2026	24	2058	0	2058	254362	82	177	440	445	1358	191
1/18/2026	24	2028	0	2028	250622	81	174	443	450	1313	192
1/19/2026	24	2016	0	2016	249225	80	173	444	445	1478	195
1/20/2026	24	2016	0	2016	249225	80	173	437	438	1425	191
1/21/2026	24	1985	0	1985	245335	79	170	435	450	1350	193
1/22/2026	24	1983	0	1983	245117	79	170	435	450	1350	193
1/23/2026	24	2019	0	2019	249486	80	173	438	445	1335	190
1/24/2026	24	2015	0	2015	249046	80	173	435	440	1478	192
1/25/2026	24	2023	0	2023	250066	80	174	440	445	1448	190
1/26/2026	24	1316	0	1316	162648	52	113	438	440	1395	190
1/27/2026	24	1997	0	1997	246842	79	171	445	450	1358	183
1/28/2026	24	2023	0	2023	250016	80	174	445	450	1328	190
1/29/2026	24	2014	0	2014	248894	80	173	450	460	1290	190
1/30/2026	24	1967	0	1967	243070	78	169	443	445	1425	190
1/31/2026	24	1974	0	1974	243975	78	169	450	459	1395	193
<b>Total</b>	<b>744</b>	<b>59702</b>	<b>0</b>	<b>59702</b>	<b>7378951</b>						
<b>Minimum</b>	<b>24</b>	<b>853</b>	<b>0</b>	<b>853</b>	<b>105441</b>	<b>34</b>	<b>73</b>	<b>390</b>	<b>410</b>	<b>1080</b>	<b>183</b>
<b>Average</b>	<b>24</b>	<b>1926</b>	<b>0</b>	<b>1926</b>	<b>238031</b>	<b>77</b>	<b>165</b>	<b>430</b>	<b>436</b>	<b>1372</b>	<b>190</b>
<b>Maximum</b>	<b>24</b>	<b>2058</b>	<b>0</b>	<b>2058</b>	<b>254362</b>	<b>82</b>	<b>177</b>	<b>450</b>	<b>460</b>	<b>1478</b>	<b>195</b>

# PUNA GEOTHERMAL VENTURE

## KS-15 INJECTION WELL DATA QUANTITIES OF FLUID INJECTED

DATE	HRS ON INJ.	GEO-FLUID (KLB)	SUPPLY Water (KLB)	TOTAL		AVERAGE INJ. RATE		WELLHEAD PRESS. (PSIG)		AVERAGE ANNULUS N2 PRESS (PSIG)	AVERAGE INJ TEMP (DEG F)
				KBL	GAL	KPH	GPM	AVG	MAX		
1/1/2026	0	0	0	0	0	0	0	150	150	120	70
1/2/2026	0	0	0	0	0	0	0	145	150	120	73
1/3/2026	0	0	0	0	0	0	0	150	150	120	73
1/4/2026	0	0	0	0	0	0	0	150	150	120	71
1/5/2026	0	0	0	0	0	0	0	148	150	120	72
1/6/2026	0	0	0	0	0	0	0	145	145	120	73
1/7/2026	0	0	0	0	0	0	0	149	150	120	75
1/8/2026	0	0	0	0	0	0	0	143	150	120	72
1/9/2026	0	0	0	0	0	0	0	149	150	120	72
1/10/2026	0	0	0	0	0	0	0	149	150	120	72
1/11/2026	0	0	0	0	0	0	0	148	150	120	73
1/12/2026	0	0	0	0	0	0	0	149	150	120	69
1/13/2026	0	0	0	0	0	0	0	148	150	120	73
1/14/2026	0	0	0	0	0	0	0	149	150	120	79
1/15/2026	0	0	0	0	0	0	0	150	150	120	72
1/16/2026	0	0	0	0	0	0	0	138	148	120	71
1/17/2026	0	0	0	0	0	0	0	138	148	120	71
1/18/2026	0	0	0	0	0	0	0	147	148	120	75
1/19/2026	0	0	0	0	0	0	0	139	150	120	72
1/20/2026	0	0	0	0	0	0	0	148	150	120	68
1/21/2026	0	0	0	0	0	0	0	145	145	120	77
1/22/2026	0	0	0	0	0	0	0	145	145	120	77
1/23/2026	0	0	0	0	0	0	0	138	145	120	72
1/24/2026	0	0	0	0	0	0	0	149	150	120	71
1/25/2026	0	0	0	0	0	0	0	146	147	120	75
1/26/2026	0	0	0	0	0	0	0	147	148	120	70
1/27/2026	0	0	0	0	0	0	0	147	148	120	79
1/28/2026	0	0	0	0	0	0	0	148	150	120	75
1/29/2026	0	0	0	0	0	0	0	150	155	120	74
1/30/2026	0	0	0	0	0	0	0	150	150	120	75
1/31/2026	0	0	0	0	0	0	0	149	150	120	70
<b>Total</b>	0	0	0	0	0						
<b>Minimum</b>	0	0	0	0	0	0	0	138	145	120	68
<b>Average</b>	0	0	0	0	0	0	0	146	149	120	73
<b>Maximum</b>	0	0	0	0	0	0	0	150	155	120	79

# PUNA GEOTHERMAL VENTURE

## KS-20 INJECTION WELL DATA QUANTITIES OF FLUID INJECTED

DATE	HRS ON INJ.	GEO-FLUID (KLB)	SUPPLY Water (KLB)	TOTAL		AVERAGE INJ. RATE		WELLHEAD PRESS. (PSIG)		AVERAGE ANNULUS N2 PRESS (PSIG)	AVERAGE INJ TEMP (DEG F)
				KBL	GAL	KPH	GPM	AVG	MAX		
1/1/2026	24	3366	0	3366	416007	134	289	438	438	1500	191
1/2/2026	24	3326	0	3326	411113	132	285	438	438	1500	188
1/3/2026	24	3246	0	3246	401184	129	279	416	420	1485	183
1/4/2026	24	2670	0	2670	329971	106	229	410	410	1485	179
1/5/2026	24	2464	0	2464	304602	98	212	403	405	1485	180
1/6/2026	24	2429	0	2429	300170	97	208	410	420	1485	180
1/7/2026	24	2498	0	2498	308740	99	214	400	410	1485	184
1/8/2026	24	2494	0	2494	308260	99	214	409	416	1478	185
1/9/2026	24	2533	0	2533	313130	101	217	415	420	1485	184
1/10/2026	24	2582	0	2582	319130	103	222	422	425	1485	189
1/11/2026	24	2961	0	2961	365935	118	254	413	413	1485	188
1/12/2026	24	3231	0	3231	399281	128	277	410	410	1478	181
1/13/2026	24	3295	0	3295	407228	131	283	411	411	1485	183
1/14/2026	24	2789	0	2789	344676	111	239	413	415	1485	181
1/15/2026	24	2455	0	2455	303484	98	211	380	380	1463	182
1/16/2026	24	2565	0	2565	317036	102	220	424	430	1493	185
1/17/2026	24	2605	0	2605	321980	104	224	435	440	1500	185
1/18/2026	24	2594	0	2594	320631	103	223	438	440	1500	185
1/19/2026	24	2452	0	2452	303073	97	210	438	440	1500	180
1/20/2026	24	2452	0	2452	303073	97	210	425	425	1485	185
1/21/2026	24	2467	0	2467	304899	98	212	425	440	1493	179
1/22/2026	24	2482	0	2482	306778	99	213	425	440	1493	179
1/23/2026	24	2645	0	2645	326968	105	227	430	430	1493	190
1/24/2026	24	3090	0	3090	381973	123	265	428	430	1493	185
1/25/2026	24	3143	0	3143	388516	125	270	440	445	1500	190
1/26/2026	24	3152	0	3152	389615	125	271	435	440	1493	190
1/27/2026	24	2965	0	2965	366520	118	255	443	445	1485	185
1/28/2026	24	1980	0	1980	244748	79	170	435	435	1238	185
1/29/2026	24	1720	0	1720	212629	68	148	435	435	1230	189
1/30/2026	24	2484	0	2484	307007	99	213	445	445	1380	190
1/31/2026	24	2489	0	2489	307693	99	214	440	445	1388	187
<b>Total</b>	<b>744</b>	<b>83627</b>	<b>0</b>	<b>83627</b>	<b>10336050</b>						
<b>Minimum</b>	<b>24</b>	<b>1720</b>	<b>0</b>	<b>1720</b>	<b>212629</b>	<b>68</b>	<b>148</b>	<b>380</b>	<b>380</b>	<b>1230</b>	<b>179</b>
<b>Average</b>	<b>24</b>	<b>2698</b>	<b>0</b>	<b>2698</b>	<b>333421</b>	<b>107</b>	<b>232</b>	<b>423</b>	<b>427</b>	<b>1465</b>	<b>184</b>
<b>Maximum</b>	<b>24</b>	<b>3366</b>	<b>0</b>	<b>3366</b>	<b>416007</b>	<b>134</b>	<b>289</b>	<b>445</b>	<b>445</b>	<b>1500</b>	<b>191</b>

# PUNA GEOTHERMAL VENTURE

## KS-21 INJECTION WELL DATA QUANTITIES OF FLUID INJECTED

DATE	HRS ON INJ.	GEO-FLUID (KLB)	SUPPLY Water (KLB)	TOTAL		AVERAGE INJ. RATE		WELLHEAD PRESS. (PSIG)		AVERAGE ANNULUS N2 PRESS (PSIG)	AVERAGE INJ TEMP (DEG F)
				KBL	GAL	KPH	GPM	AVG	MAX		
1/1/2026	24	28210	0	28210	3486676	1121	2421	380	440	1193	190
1/2/2026	24	28151	0	28151	3479418	1119	2416	383	440	1253	190
1/3/2026	24	28262	0	28262	3493151	1123	2426	246	312	1223	187
1/4/2026	24	29504	0	29504	3646620	1172	2532	325	325	1253	178
1/5/2026	24	28016	0	28016	3462645	1113	2405	325	330	1275	183
1/6/2026	24	28461	0	28461	3517712	1131	2443	330	330	1245	183
1/7/2026	24	28295	0	28295	3497196	1124	2429	403	405	1275	185
1/8/2026	24	28641	0	28641	3539971	1138	2458	404	412	1193	185
1/9/2026	24	28632	0	28632	3538779	1138	2457	410	415	1283	185
1/10/2026	24	28852	0	28852	3566075	1147	2476	415	419	1193	189
1/11/2026	24	28666	0	28666	3542967	1139	2460	414	418	1223	185
1/12/2026	24	28273	0	28273	3494505	1123	2427	411	411	1320	182
1/13/2026	24	28357	0	28357	3504890	1127	2434	408	410	1230	180
1/14/2026	24	28749	0	28749	3553323	1142	2468	409	410	1170	183
1/15/2026	24	28592	0	28592	3533842	1136	2454	370	395	1305	180
1/16/2026	24	29048	0	29048	3590267	1154	2493	418	425	1238	187
1/17/2026	24	29169	0	29169	3605223	1159	2504	430	435	1163	188
1/18/2026	24	29044	0	29044	3589804	1154	2493	433	435	1313	190
1/19/2026	24	28570	0	28570	3531182	1135	2452	431	432	1215	183
1/20/2026	24	28570	0	28570	3531182	1135	2452	421	421	1410	185
1/21/2026	24	28439	0	28439	3514919	1130	2441	421	435	1245	185
1/22/2026	24	28166	0	28166	3481201	1119	2418	421	435	1245	185
1/23/2026	24	28293	0	28293	3496869	1124	2428	427	433	1215	190
1/24/2026	24	28101	0	28101	3473158	1117	2412	425	430	1298	186
1/25/2026	24	27973	0	27973	3457369	1112	2401	435	445	1200	190
1/26/2026	24	28276	0	28276	3494765	1124	2427	433	440	1283	190
1/27/2026	24	28276	0	28276	3494765	1124	2427	430	435	1253	185
1/28/2026	24	28490	0	28490	3521315	1132	2445	435	440	1230	183
1/29/2026	24	28805	0	28805	3560146	1145	2472	437	440	1215	188
1/30/2026	24	28202	0	28202	3485692	1121	2421	440	440	1268	190
1/31/2026	24	28183	0	28183	3483289	1120	2419	433	440	1253	188
<b>Total</b>	<b>744</b>	<b>883267</b>	<b>0</b>	<b>883267</b>	<b>109168916</b>						
<b>Minimum</b>	<b>24</b>	<b>27973</b>	<b>0</b>	<b>27973</b>	<b>3457369</b>	<b>1112</b>	<b>2401</b>	<b>246</b>	<b>312</b>	<b>1163</b>	<b>178</b>
<b>Average</b>	<b>24</b>	<b>28492</b>	<b>0</b>	<b>28492</b>	<b>3521578</b>	<b>1132</b>	<b>2446</b>	<b>403</b>	<b>414</b>	<b>1247</b>	<b>185</b>
<b>Maximum</b>	<b>24</b>	<b>29504</b>	<b>0</b>	<b>29504</b>	<b>3646620</b>	<b>1172</b>	<b>2532</b>	<b>440</b>	<b>445</b>	<b>1410</b>	<b>190</b>